



ecore

COMMERCIAL





Can a floor do more?


From the very beginning, we've challenged ourselves with one simple question:

Since 18/1, Ecore has been creating unique products that make people's lives better. What started with simple cork closures has evolved into a diverse portfolio of products solving complex problems in applications ranging from playground weight rooms, and turf fields to hospitals, hotels, and retail environments. We are building our company and the products we offer based on the simple notion that floors should elevate beyond current expectations. Our energy is focused on the interaction between people and the surface, and today, we work to support every person, in every space, every day.





We believe that a floor is more than just a passive surface. It must work with the human body to provide support and sustain the ability for individuals to do what they love—longer. Your flooring should go beyond your expectations: it should go beyond your expectations: it should benefit those who interact with it. At Ecore, we engineer performance well beyond industry standards and, through technology and innovation, are driven to provide solutions for challenges that real people face every day. Our goal is to not just provide flooring, but to provide flooring solutions that improve the lives of people across every segment of the population in every life.








More.

The Promise of Safety

monkey bars, only to get up and try again. And when rubber surfacing responds to the constant cadence of a recreational runner's footfalls on the track with the same dedication to safety as it has toward the intermittent

Featuring Infinity Rx

releases of the weightlifter's deadlift, that's MORE. A floor must do MORE to help people safely work, heal, and live life to the fullest.



A floor does MORE when a doctor stands focused through a challenging 8-hour surgery without the distraction of joint or lower back pain, or a healthful curator navigates museum galleries for years, fueing the worldly aspirations of generations of students. A floor does MORE when a

nurse, a pharmacist, or a chef completes a 10-hour shift and still has the energy to go home to play with his children without leg or back pain. It does MORE when smart, ergonomically supportive rubber surfacing contributes to the overall health of a baby boomer by helping her maintain a daily strength

alth

Featuring ECOrx

and conditioning routine. A floor must do MORE to help people comfortably work, stay fit, and live healthy and productive lives.



hospital noise, softens footfall a teacher's effectiveness by by fostering tranquility for rest and helps each patient heal The surfacing in a school does and recovery. When multiple does MORE when it reduces learning environment. A floor providing a calm and quiet MORE when it contributes to

Featuring AttainSilence 2.5.5

never bothered by the family

does MORE when they're

And for the family enjoying

"vertical living" in 2B, a floor


loving teenager living in 3B. A floor must do MORE to help two big dogs, and a musicwith three dancing toddlers, preserve people's quiet as they work, heal, stay fit, and enjoy

mitigate noise, the flooring

surfaces converge in a busy

gym, each doing its part to

contributes to an environment MORE conducive to an optimal workout for each fitness buff. their home.



Find your perfect Flooring Solution.


By bringing ergonomics, safety, and acoustical attributes together in expert proportions, we create tailored surfaces that make people's lives better and sustain their ability to do what they love longer.

Rx Collection	L	Knot Carpet Collection	35
Forest Rx	4	Pinnacle 2	38
Strait Rx	œ		
Infinity Rx	10		
Cosmos Rx	12	AttainSilence Collection	41
Galaxy Rx	14	AttainSilence	44
		Attain	46
		ECOsilence	48
ECOsurfaces Collection	17		
ECOsurfaces Classic	20		
ECOfit	24		
ECOrx	26		
ECOmax	28		
ECOnights	30		

ECOsmash

32

2018 _____ Version 1



Rx Collection

N

Galaxy Rx	Cosmos Rx	Infinity Rx	Strait Rx	Forest Rx	Rx Collection	PRODUCTS
Premium rubber sheet facoring with a specked pattern and a fusion- bonded rubber base layer	Heterogeneous vinyl with pearlescent accents and a fusion-bonded rubber base layer	Heterogeneous vinyl with a linear pattern and a fusion-bonded rubber base layer	Heterogeneous vinyl with a liner pattern and a fusion-bonded rubber base layer	Heterogeneous vinyl with a wood grain pattern and a fusion-bonded rubber base layer	Description	PRODUCT
Hygienic because of heat-welded installation, sound control, and comfort	11.5% force reduction reduces the rsk of fail injuries, sound control, and comfort	11.5% force reduction reduces the risk of fail injuries, sound control, and comfort	11.5% force reduction reduces the risk of fail injuries, sound control, and comfort	11.5% force reduction reduces the risk of fail injuries, sound control, and comfort	Benefits	PRODUCT FEATURES
12	σ	0	0	11	Colors	
٠	•	•	•	•	Rolls	CONSTI
					Tiles	CONSTRUCTION
					Planks	Z
•	•	•	•	•	Emergency Department	
•	•	•	•	•	Emergency Department LDR	
•	•	•	•	•		
• • • • •	• • • •	• • • •	• • • •	• • • • •	LDR	
• • • • • • • • •	• • • • •	• • • • • •	• • • • • • • •	• • • •	LDR NICU	
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • •	-	LDR NICU PACU Patient	
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•	LDR NICU PACU Patient Rooms	AP
	• • • • • • •	• • • • • • •		•	LDR NICU PACU Patient Rooms Pharmacies	APPLICA
	• • • • • • • • •	• • • • • • • • •		•	LDR NICU PACU Patient Rooms Pharmacies Cafeterias	APPLICATION
	• • • • • • • • • •	•	•	• • • •	LDR NICU PACU Patient Rooms Cafeterias Cafeterias Cardio Corridors Dining Rooms	APPLICATIONS
		•	•	• • • • • • • • • • • • • • • • • • • •	LDR NICU PACU Patient Rooms Pharmacies Cafeterias Cafeterias Cardio Corridors Dining	APPLICATIONS
		•	•	• • • • • • •	LDR NICU PACU Patient Rooms Pharmacies Cafeterias Cardio Cardio Corridors Corridors Corridors Cardio Labs	APPLICATIONS
		•	•	• • • • • •	LDR NICU PACU Patient Rooms Pharmacies Cafeterias Cardio Cardio Cardio Corridors Corridors Corridors Cardio Labs Labs Labs	APPLICATIONS
		•	•	• • • • • • •	LDR NICU PACU Patient Rooms Pharmacies Cafeterias Cafeterias Cardio Card	APPLICATIONS
		•	•	• • • • • • •	LDR NICU PACU Patient Rooms Pharmacies Cafeterias Cafeterias Cardio Cardio Corridors Dining Rooms Croup Exercise Studios Labs Meeting Rooms	APPLICATIONS

Rx Collection

ы

Forest Rx

4

peace of mind. and giving caregivers and caretakers Capturing the beautiful look of wood,



of injury associated with falls. with Polyflor's proven heterogeneous itstru technology to combine 5mm of Ecore's composition rubber backing in healthcare and senior living spaces. Forest Rx provides a unique solution for many of the common problems This product category uses patented vinyl, and is designed to reduce the risk

Markets

Healthcare Education Corporate

Hospitality

Multifamily

Public Buildings

Retail

Senior Care

Benefits

Hygienic because

of heat-welded installation

Quiet underfoot

Ergonomic

Low maintenance due to protective wear layer

Color Options





Dimensions	
Rolls	
7mm (2mm + 5mm) × 72" (1.83m) × 30 linear feet (9.14m)	





Rx Collection

ഗ

Pennsylvania Presbyterian Medical Center

Philadelphia, PA

Dimensions: 5,000 square yards

Collection: Rx Product: Forest Rx Color: Oiled Oak

The Challenge.

It took three years to create a new trauma center for the Pennsylvania Presbyterian Medical Center (PPMC). This premier medical center treats thousands of lifethreatening injuries every year, and it was crucial to design a facility that would benefit patients, staff, and healthcare providers.

PPMC had many challenges to address, including maximizing sound absorption for increased rest and privacy and minimizing impact on joints for hardworking staff. The floor also had to be durable, easy to clean, and able to withstand the weight of patient beds and other equipment without permanent indentations. And, of course, it had to look great.

Our solution: Forest Rx.

The design team selected 5,000 square yards of Forest Rx for patient bays, treatment areas, corridors, and nurses' stations. Forest Rx uses Ecore's patented itstru technology, which fusion bonds a composition rubber backing to a vinyl surface, making it ergonomic, quiet, and safe. The material lowers the impact of force from falls by an impressive 11.5 percent.

The number of colors available allowed the team to choose high-contrast pops of color to help decrease patient and visitor anxiety, and to differentiate between staff, patient, and family zones. Forest Rx is as quiet as carpet, reducing impact sound more than 20 decibels.



Strait Rx

ω

for comfort and calm. Modern finishes pair with ergonomic qualities



commercial use. Available in 6-foot-wide lifetime of Strait Rx. reinforcement (PUR) provides a low cost, polish-free maintenance regime for the control and comfort underfoot. The Ecore's composition rubber backing for healthcare, senior living spaces, fitness Strait Rx provides a unique flooring solution high-quality, cross-linked polyurethane associated with falls and offers sound a surface that reduces the risk of injury from Polyflor. This combination creates modern heterogeneous vinyl sheet fusion-bonded to a contemporary, rolls, this product features 5mm of facilities, and any area expecting heavy

Senior Care	Retail	Public Buildings	Multifamily	Hospitality		Healthcare		Education		Corporate	Markets
			to protective wear layer	Low maintenance due	Ergonomic		Quiet underfoot		of heat-welded installation	Hygienic because	Benefits

Color Options











Toasted Coconut 6625 Antique Pewter 9908

Sea Grass 6624

Dimensions Rolls 7mm (2mm + 5mm) x 72" (1.83m) x 30 linear feet (9.14m)











Rx Collection

Rx Collection H

Infinity Rx

10

a softer, more organic appearance. Harmonious shades blend together to create



	creates a surface that reduces the risk of iniury associated with falls and offers	contemporary, modern neterogeneous vinyl sheet from Polyflor. This combination	rubber backing fusion-bonded to a	sition	in 6-foot-wide rolls, this product	more organic appearance. Available	the use of hard lines to create a softer,	shades all blended together, eliminating	of harmonious beige, gold, and brown	of these linear patterns is composed	textiles and woven floor coverings, each	Drawing influence from traditional		
Senior Care	Retail	Fublic buildings		Multifamily		Hospitality		Healthcare		Education		Corporate	Markets	

'kets	Benefits
porate	Hygienic because
	of heat-welded installation
cation	
	Quiet underfoot
lthcare	
	Ergonomic
pitality	
	Low maintenance due
tifamily	to protective wear layer
lic Buildings	
<u>=</u> .	

Color Options



Dimensions
Rolls
7mm (2mm + 5mm) x 72" (1.83m) x 30 linear feet (9.14m)





Cosmos Rx

12

that changes with the light in the room. Subtle highlights add depth and movement



	Markets	Benefits
The minimal effect created by these	Corporate	Hygienic because
smooth, neutral floor coverings marries		of heat-welded installation
beautifully with both traditional and	Education	
contemporary interiors. The subtle		Quiet underfoot
highlights created by the pearlescent	Healthcare	
fragments within the design give the floor		Ergonomic
added depth and movement that changes	Hospitality	
with the light in the room. Available in		Low maintenance due
6-foot-wide rolls, this product features	Multifamily	to protective wear layer
5mm of Ecore's composition rubber		
backing fusion-bonded to a contemporary,	Public Buildings	
modern heterogeneous vinyl sheet		
from Polyflor. This combination creates	Retail	
a surface that reduces the risk of injury		
associated with falls and offers sound	Senior Care	
control and comfort underfoot.		

Halo 9841	Meteor 9816	Color Options
New Moon 9928	Shooting Star 9819	
Dark Matter 9938	Morning Star 9840	

Halo 9841	Meteor 9816	
New Moon 9928	Shooting Star 9819	
Dark Matter 9938	Morning Star 9840	

H alo 9841	Meteor 9816	
New Moon 9928	Shooting Star 9819	
Dark Matter 9938	Morning Star 9840	

Dimensions
Rolls
7mm (2mm + 5mm) x 72" (1.83m) x 30 linear feet (9.14m)





Galaxy Rx

14

An exceptional choice for when safety is your number one priority.



Noise, comfort, and safety will all impact the experience of a patient, resident, or student in any facility. Galaxy Rx was developed to specifically meet these challenges. Featuring Ecore's patented tistru technology, Galaxy Rx is comprised of a premium rubber sheet flooring bonded to Ecore's composition rubber backing that will reduce structure-borne sound, improve ergonomics, and reduce the impact of a fall.

Markets

Dimensions

Rolls

7mm (2mm + 5mm) × 72" (1.83m) × 30 linear feet (9.14m)

Healthcare

Benefits


Hygienic because of heat-welded installation

Quiet underfoot

Ergonomic

Color Options







Rx Collection



For more than 25 years, ECOsurfaces composition rubber flooring has offered a diverse portfolio of flooring patterns that make a distinct design statement without sacrificing the health of the natural environment. ECOsurfaces offers architects and designers endless possibilities to create personalized designs for a multitude of markets. All ECOsurfaces products are FloorScore® certified to quality for use in high performance schools and office buildings. ECOsurfaces products also have the potential to contribute towards earning points for LEED certification.

Customizable

Durable

.....

Versatile

ECOsurfaces Collection

19

ECOsurfaces Collection

ECOsmash	ECOnights	ECOmax	ECOrx	ECOfit	ECOsurfaces Classic	ECOsurfaces Collection	PRODUCTS
Molded tile featuring a patented wear layer	Composition rubber fitness floor	Beveled tile featuring a patented footing system	Fusion-bonded ergonomic floor	Colorful rubber wear layer fusion-bonded to a cushioned composition rubber backing	Versatile, durable rubber flooring	Description	PRODUCT
Extreme durability, ultimate sound and shock absorption	Durable, easy to maintain, slip resistant	Modular, easy installation & maintenance, slip resistant, ADA compliant	Dynamic energy return, comfort, and slip resistance while standing or walking	Sound and shock absorption during fitmess activities	Absorbs energy and noise while providing slip resistance and durability	Benefits	PRODUCT FEATURES
7	12	۲	64	10	78	Colors	
	•		٠	•	٠	Rolls	CONSTR
•	•	٠	•		•	Tiles	CONSTRUCTION
						Planks	~
	•		•	•		Cardio Areas	
	•	•	•		•	Daycare Centers	
			•	•	•	OTPT Rehab	
	•			•	•	Recreation Areas	
			•	•		Banks	APPL
			•		•	Mail Rooms	APPLICATIONS
	•				•	Police & Fire Stations	SN
			•		•	Reception & Concierge	
•		•	•			Strength & Conditioning	
			•	•		Therapy & Rehab	
						Zoos	

18

21

Classic **ECOsurfaces**

20

surfacing creates exactly the look you envision. The original innovator in recycled rubber



Dimensions

Rolls

Interlocking

Tiles

6mm x 24" (61cm) x 24" (61cm), Custom 8mm x 24" (61cm) x 24" (61cm), Custom 6mm x 23" (58cm) x 23" (58cm), Custom 8mm × 23" (58cm) × 23" (58cm), Custom Edge Tiles Square

6mm x 24" (61cm) x 24" (61cm), Custom 3.2mm x 24" (61cm) x 24" (61cm), Custom

8mm x 24" (61cm) x 24" (61cm), Custom

8mm x 48" (1.2m) x 25 linear feet (7.62m), Custom 3.2mm x 48" (1.22m) x 50 linear feet (15.24m) 6mm x 48" (1.22m) x 50 linear feet (15.24m), Custom Cork Gable 1203

Mrs. Doubtfireplace 1209

Raiders of the Lost Architect 1212

Action! 1213

Take One 1214

Final Cut 1216

本に

-

	into a staple in the interior landscape.	a novelty of the sustainability movement	result is a product that has evolved from	absorbs energy, vibration, and noise. The	custom thickness options. ECOsurfaces	square edge tiles, interlocking tiles, and	options include traditional roll goods,	3.2mm thickness, ECOsurfaces product	commercial environments. Standard in	4-foot-wide rubber flooring is ideal for all	and made with recycled content, this	than 25 years ago. Versatile, durable,	rubber in commercial applications more	Ecore pioneered the use of composition	
Senior Care		Retail		Public Buildings		Multifamily		Hospitality EC(Healthcare End		Education Duri		Corporate Slip	Markets Ber
								ECOguard coated		Endless design options		Durable		Slip resistant	Benefits

3.2mm Composition Rubber

 $\rangle\rangle\rangle|$

75.5%

Energy Restitution Useful return of impact energy


Data for 3.2mm thickness

 $\langle \langle \langle$

2.4%


Force Reduction Absorption of impact energy

Color Options
(More colors available.)
(More colors available. Visit ecorecommercial.com
1.)



-*

1.1.1















Rollin Stone 810A

Moonrock 812

Rock N Coal 814

1 . A ...

T.







23

Color: 16 total

Collection: ECOsurfaces Product: ECOsurfaces Classic

San Diego Library, Central Branch

San Diego, CA

The Challenge.


During the design of the nearly 500,000-square-foot San Diego Central Library, it was clear that the typical linoleum floor wouldn't be enough to house the 1.26 million-piece collection. Between books, art features, a large auditorium, a 3-story reading room, a multipurpose room, a teen center, a children's room, a technology center, and an outdoor garden courtyard and café, the library is a true community treasure.

As an educational and public space, the design had to maintain the library's commitment to keeping students, library patrons, librarians, and visitors safe. The right flooring material would also absorb shock from footsteps and help maintain a quiet atmosphere. Beyond all that, the floor had to look great and stand up to countless footsteps for years to come.

Our solution: ECOsurfaces Classic.

With 1,500 square feet of ECOsurfaces installed on each floor, the library is more than just safe, quiet, and ergonomic—the use of color also gives each floor its own unique identity.


In a space that has such a wide variety of uses and so many different types of people using it, ECOsurfaces is a durable choice that absorbs shock and sound while minimizing the chance that anyone will slip and fall. It gives students and library regulars peace and quiet while providing staff peace of mind.



25

ECOft

workout for those serious about fitness. Ready to take on the most extreme



enhanced performance, while mitigating 3.2mm surface layer is fusion-bonded to sound and shock absorption and comfort ECOfit is designed for bodies in motion. comfort, support, and versatility. This return. By utilizing Ecore's patented itstru fatigue and the risk of injury. 8.2mm engineered floor provides a composition rubber backing, providing technology, a standard ECOsurfaces underfoot with a focus on dynamic energy environment, ECOfit provides ample fitness application or a very active work Whether it's a traditional health and

Mrs. Doubtfireplace

Action! 1213

Take One 1214

Final Cut 1216

Going Gray 2500

Dimensions


Rolls

8.2mm (3.2mm+5mm) x 48" (1.2m) x 50 linear feet (15.24m)

Markets

Slip resistant wet or dry	Fade resistant/wears well	Sound and shock absorbent	Benefits	Senior Care	Public Buildings	Multifamily	Hospitality	Healthcare	Education	Corporate	
---------------------------	---------------------------	---------------------------	----------	-------------	------------------	-------------	-------------	------------	-----------	-----------	--

Bed Rock	Color Options
River Rock 807	(Shown in standard cc
Gravel Rock 808	olors. Available in other EC
Rollin Stone B10A	Osurfaces colors as non-s
Cork Gable	(Shown in standard colors. Available in other ECOsurfaces colors as non-standard. Visit ecorecommercial.com.)





ECOguard coated

27

ECOrx

26

that endure long hours of standing. The ultimate product to support people



	Markets	Benefits
ECOrx is designed to go beyond anti-	Corporate	Sound and shock absorbent
fatigue mats by creating a full ergonomic		
floor for people working on their feet.	Education	Fade resistant/wears well
Engineered with the perfect balance		
of force reduction and energy restitution,	Healthcare	Slip resistant wet or dry
ECOrx absorbs impact force while		
returning energy and encourages	Hospitality	ECOguard coated
people to stand on the balls of their feet,		
preventing compression in the back and	Multifamily	
legs. By utilizing Ecore's patented itstru		
technology, ECOrx features a standard	Public Buildings	
3.2mm surface layer fusion-bonded to		
a composition rubber backing, resulting	Senior Care	
in a 15.2mm product. ECOrx is available		
in glue down rolls and adhesive-free		
interlocking tiles.		

3.2mm Composition Rubber

 $\rangle\rangle\rangle$

51.9%

Energy Restitution Useful return of impact energy

 $\langle \langle \langle$

35.5%

Force Reduction Absorption of impact energy

12mm Base Layer





















































Interlocking Tiles	Rolls
15.2mm x 23" (58cm) x 23" (58cm)	15.2mm (3.2mm+12mm) x 48" (1.2m) x 25 linear feet (7.4

Dimensions

) × 23" (58cm)	Interlocking 15.2mm x 23" (58cm) x 23" (58cm)	Nolis Toʻzhilin (oʻzhilin tzhinn) vito (tizhi) vito ili leet (vioz
----------------	---	--

	10.2111111 (0.2111111: 12111111) × +0 (1.2111) × 20 1111eat leet (7.32
terlocking	15.2mm × 23" (58cm) × 23" (58cm)
Tiles	

NOIIS	13.2000 (3.2000) × +8 (1.200) × 23 10 eet (7.0
erlocking	15.2mm × 23" (58cm) × 23" (58cm)

locking 15.2mm x 23" (58cm) x 23" (58cm)	Rolls 15.2mm (3.2mm+12mm) × 48" (1.2m) × 25 li
	x 48" (1.2m) x 25 linear feet (7.62m)

		Tiles
	15.2mm × 23" (58cm) × 23" (58cm)	iterlocking

Tiles	Interlocking	
	15.2mm x 23" (58cm) x 23" (58cm)	

Tiles	Interlocking	
	15.2mm x 23" (58cm) x 23" (58cm)	

Tiles	ntor octing
	「 、 、 mm < 、 、 ^ 、 / 」 X 、 m < 、 、 ^ 、 / 」 X 、 m < 、 、 / 」 X 、 m < 、 、 / 」 X 、 m < 、 、 / 」 X 、 m / 、 / 、 X 、 m / 、 / 、 / 、 / 、 / 、 / 、 / 、 / 、 / 、



29

ECOmax

28

living or play space. Create a safe and enchanting outdoor

Color



	Markets	Benefits
Rugged and durable, ECOmax is a	Corporate	Superior drainage
square, beveled tile featuring a patented		
footed system. The 1-inch molded tile	Education	Does not require adhesive
is designed specifically for use in weight		and can be installed directly
rooms, while the 2.5-inch version is	Hospitality	over existing floors
designed for play areas or rooftop patios.		
Able to withstand the rigors of dropped	Multifamily	Extremely durable
free weights in a weight room or wear and		
tear on a rooftop patio, ECOmax provides	Public Buildings	
enhanced acoustical performance by		
dampening the transmission of noise.	Retail	
ECOmax also offers superior drainage,		
continuous under-foot comfort, and tested	Senior Care	
slip resistance to prevent falls and injuries.		

22.9mm Molded Base

Data for 1" thickness

2.5mm Composition Rubber

 $\rangle\rangle\rangle|$

52.1%


Energy Restitution Useful return of impact energy

<<<

46.3%

Force Reduction Absorption of impact energy

1	Options
	(Shown in standard colo
	rs. Available in other ECOs
	in standard colors. Available in other ECOsurfaces colors as non-standard. Visit ecorecommercial.com.)
	corecommercial.com.)





















Red Hots 620

Blue Mood 602

ALC: NO

A Starter

T. I. S. H.

Action! 1213

Rollin Stone 810A

Dimensions

Tiles

1" (25.4mm) × 24" (610mm) × 24" (610mm) 2.5" (63.5mm) × 24" (610mm) × 24" (610mm)

ADA Ramps

2.5" (63.5mm) x 64" (1625mm) x 30" (762mm) 1" (25.4mm) × 12" (305mm) × 48" (1.22mm) 2.5" (63.5mm) × 8" (203mm) × 48" (1.22mm) 1" (25.4mm) x 4" (102mm) x 48" (1.22mm)

Reducers

Bed Rock 806

31

ECOnights

30





nominal 3/8" thickness make it a durable corporate gyms and hospitality fitness ECOnights is the perfect surface for and tiles are available in 12 different color solution for high impact spaces. Rolls centers. Its superior blade resistance, high-energy environment. and design options to enhance any options, delivering unmatched durability spike resistance, slip resistance, and

Big Bang Blue 629

Stardust 635A

Mission Possible 646

Chunky Munky 648A

Monster's Ink 650A

Gesundheit! 651

D.

*

3

.....

4

Markets

Dimensions

Rolls

8mm × 48" (1.2m) × 25 linear feet (7.62m)

Interlocking

8mm x 23" (58cm) x 23" (58cm)

Tiles

Education Corporate

Hospitality

Multifamily

Public Buildings

8mm Composition Rubber

 $\rangle\rangle\rangle$

67.7%

Energy Restitution Useful return of impact energy

 $\langle \langle \langle$

13.8%

Force Reduction Absorption of impact energy

Retail

Benefits

Superior blade resistance

Spike resistance


Slip resistance

Shock absorbent

Durable

0

Color Options (Shown in standard colors. Available in other ECOsurfaces colors as non-standard. Visit ecorecommercial.com.)



....







































































































Mr. Slate 601





Milky Way 617

Red Hots 620

Total Eclipse 626



33


ECOsmash

32

absorption in multi-level fitness facilities. Unparalleled sound and shock

Color Options

(Shown in standard colors. Available in other ECOsurfaces colors as non-standard. Visit ecorecommercial.com.)



	IVIALKETS	Denents
This 2-foot by 2-foot by 2.5-inch molded	Corporate	Easy installation with Q
composition rubber tile is designed		installation system
for areas where extreme durability and	Education	
ultimate sound and shock absorption		Superior sound and sho
are required. ECOsmash eliminates the	Hospitality	absorption
shock and sound resulting from weights		
being released onto its surface by	Multifamily	Withstands heavy weigl
absorbing the impact. ECOsmash		
is the perfect compliment to platform	Public Buildings	Slip resistant
style weight lifting.		
		Meets ADA standards

SŪ				
Slip resistant	Withstands heavy weight impacts	Superior sound and shock absorption	Easy installation with Quad Blok installation system	


Bed Rock 806	
Rollin Stone 810A	
Action! 1213	

		Dimensions
ADA Ramp	Reducers	Tiles
2.5" (63.5mm) x 64" (163cm) x 30" (76cm) (Includes 2 ADA Access Ramps, a 6" Transition Toe, and Left/Right Side Reducer Pair)	2.5" (63.5mm) × 8" (20cm) × 48" (122cm)	2.5" (63.5mm) × 24" (61cm) × 24" (61cm)





Patented "Ultra" high-density wear layer






















Total Eclipse 626

Red Hots 620

Blue Mood 602



Knot Carpet Collection 37

Knot Carpet

Pinnacle 2	Knot Carpet	PRODUCTS
Interlocking or straight edge carpet tiles with a composition rubber backing		PRODUCT FEATURES
Adhesive-free installation, comfort, and superior performance characteristics	Benefits	FEATURES
63	Colors	
		CONST
•		CONSTRUCTION
		z
•		
•	Back of House Areas	
•		
	Back of House Areas	
•	Back of House Areas Banks	
•	Back of House Areas Banks Book Stores	AP
•	Back of House Areas Banks Book Stores Classrooms Corridors Entrances	APPLICA.
•	Back of House Areas Banks Book Stores Classrooms Corridors Entrances Heavy Traffic	APPLICATIONS
•	Back of House Areas Banks Book Stores Classrooms Corridors Corridors Entrances Heavy Traffic Houses of Worship	APPLICATIONS
	Back of House Areas Banks Book Stores Classrooms Classrooms Entrances Heavy Traffic Houses of Worship	APPLICATIONS
	Back of House Areas Banks Book Stores Classrooms Corridors Corridors Entrances Heavy Traffic Houses of Houses of Libraries Mail Rooms	APPLICATIONS
	Back of House Areas Banks Book Stores Classrooms Classrooms Entrances Heavy Traffic Houses of Worship	APPLICATIONS


36

Knot Carpet Collection

39

Pinnacle 2

Soft surfaces that balance durability and comfort.



		characteristics.	for comfort and superior performance	is a product that provides a prescription	composition rubber backing. The result	wear layer is fusion-bonded to an Ecore	itstru technology. A non-woven carpet	Pinnacle 2 features Ecore's patented	
Public Buildings	Multifamily	Hospitality		Healthcare		Education		Corporate	Iviarkets

Markets	Benefits
Corporate	Unsurpassed durability for a tile
Education	Endless mobility
Healthcare	Selective replacement
Hospitality	Minimal damage in handling
Multifamily	Interlocking format requires no
Public Buildings	ממוזיכטועס, רבמסוכיט וווטמוומ ווטור מודיכ
Retail	
Senior Care	

5mm Base Layer

Color Options































Brown







Dimensions

Square Edge Tiles	10mm (5mm + 5mm) x 24" (61cm) x 24" (61cm)
iterlocking	10mm (5mm + 5mm) x 23" (58cm) x 23" (58cm)

5mm Non-woven Tuffed Carpet		Tiles
$\rangle\rangle\rangle$		
62.8%	19.1%	
62.8% Useful return of impact energy	Force Reduction Absorption of Impact energy	





AttainSilence Collection

Durable

Customizable

Quiet

AttainSilence is a collection of luxury vinyl tiles and acoustic systems designed for a wide range of commercial applications. This diverse collection replicates wood planks, textiles, woven surfaces, and concrete.

AttainSilence Collection

43

AttainSilence Collection

ECOsilence	Attain	AttainSilence	AttainSilence Collection	PRODUCTS	
Composition rubber sound control underlayment	Luxury vinyltile	Acoustic system featuring Attain and ECOsilence	Description	PRODUCT	
Exceeds IIC requirements, compatible with most floor finishes	Varying thicknesses for different durability requirements	Structure-borne noise suppression	Benefits	PRODUCT FEATURES	
ц	16	16	Colors		
•			Rolls	CONSTR	
	•	•	Tiles	CONSTRUCTION	
	•	•	Planks	Z	
•	٠	٠	Activity Rooms		
•	•	•	Banks		
•	•	•	Bathrooms		
•	•	•	Cafeterias		
•	•	•	Classrooms		
•	•	•	Corridors	APPLI	
•	•	•	Houses of Worship	APPLICATIONS	
•	•	•	Libraries	SN	
•	•	•	Lobbies		
•	•	•	Locker Rooms		
•	•	•	Meeting Rooms		
•	•	•	Offices		

45

AttainSilence

\$

aesthetic and acoustic needs. This dynamic duo addresses both

Color Options

(More colors available. Visit ecorecommercial.com.)

Beach Oak 400

Light Ash 401

Saddle Oak 402

Golden Elm 405

Rich Walnut 406


Dark Ash 407

AttainSilence: The System

Attain ECOsilence



Concrete



in your environment. The AttainSilence System combines the varied look of Attain and the reliable performance of ECOsilence for one Corporate Healthcare Markets solution to the acoustical challenges warranted system that provides an ideal

Urban Cement 450

Mocha Linen 451

Smoked Cement 452

White Cement 453

Steel Linen 456

Charcoal Linen 457

Hospitality

AttainSilence 2.0

Retail Multifamily

Public Buildings

Senior Care

Benefits

noise suppression Structure-borne

Durable

Slip Resistant

AttainSilence 4.2

1.0mm (0.04") ECOsilence 4.2mm (0.17") Attain over AttainSilence 4.2.1

2.0mm (0.08") ECOsilence

5.0mm (0.20") ECOsilence 2.5mm (0.10") Attain over AttainSilence 2.5.5

2.5mm (0.10") Attain over

2.0mm (0.08") ECOsilence 2.0mm (0.08") Attain over AttainSilence 2.0.2

5.0mm (0.20") ECOsilence 2.0mm (0.08") Attain over AttainSilence 2.0.5

AttainSilence 2.5

AttainSilence 2.5.2

Attain

46

for a wide range of commercial applications. A collection of luxury vinyl tiles designed



commercial environments. the aesthetic and maintenance challenges Attain products were developed to meet faced in hospitality, multifamily, and other

Markets Corporate Education Healthcare Healthcare Hospitality Hospitality Public Buildings Public Buildings Retail
Public Buildings Retail
Senior Care
Benefits



Attain 2.0

applications. At 2.0mm in thickness traffic in residential and multifamily LVT is ideal for light to moderate less demanding applications. oriented option is well-suited for with an 8mil wear layer, this value-This traditional glue-down

Attain 4.2

Attain 2.5

interlocking click system, this it requires no adhesive to install. product represents an ideal option hospitality applications because for challenging multi-family and wear layer and featuring an At 4.2mm thick with a 20mil



and hospitality applications. to heavy trafficked multifamily applications and moderate for traditional commercial represents our workhorse a 20mil wear layer, this product At 2.5mm thick and boasting

Texture	Wood
Tiles	Planks
Attain 2.0: 2.0mm (0.08") × 18" × 18" Attain 2.5: 2.5mm (0.10") × 18" × 18"	Attain 2.0: 2.0mm (0.08") × 6" × 36" Attain 2.5: 2.5mm (0.10") × 6" × 36" (except Dark Ash) Attain 2.5: 2.5mm (0.10") × 7" × 48" (Dark Ash) Attain 4.2 Click: 4.2mm (0.17") × 7" × 48"

Durable

Dimensions

Easy to install Slip Resistant commercial applications Workhorse for traditional

Attain 2.5: 2.5mm (0.10") × 18" × 18" Attain 4.2 Click: 4.2mm (0.17") x 12" x 24"

AttainSilence Collection

49

ECOsilence

Underlayment that meets acoustical needs of diverse environments.



ECOsilence 2
ECOsilence 5



ECOsilence 10

		Dimensions	
ECOsilence 10	ECOsilence 5	ECOsilence 2	Product
10 mm x 48" (1.22m) x 15 linear feet (4.57m) Up to 26 decibels (dB)	5mm x 48" (1.22m) x 30 linear feet (9.14m)	2mm x 48" (1.22m) x 75 linear feet (22.86m) Up to 19 decibels (dB)	Thickness
Up to 26 decibels (dB)	Up to 23 decibels (dB)	Up to 19 decibels (dB)	Delta IIC Rating (ASTM E2179)

millimeter (mm) ECOsilence stands up better than 12mm cork per ASTM E2179.	Compared to other underlayments, ECOsilence performs better, Five	initialies, and it can be instanced quickly.	porcelain tile directly to it per AS I M C627, it's compatible with most floor fairbor, and those has installed an induce	offers many performance benefits. Installers can thin-set ceramic and	hard surface flooring and over concrete and wood joist construction. ECOsilence	used directly under most floor finishes. It yields exceptional results even under	ECOsilence is a flat, resilient underlayment	
Healthcare	Senior Care	Hospitality	Retail	Public Buildings	Multifamily	Corporate	Education	Markets
	Maintains a low profile	Lifetime warranty	Adheres to IAQ standards and building costs	Exceeds IIC requirements	Made from composition rubber	floor finishes	Compatible with most	Benefits








Can a floor make people's lives better in their environment, while simultaneously benefitting the natural environment?

expert proportions, we've created tailored surfaces that make lives better, while also



A floor can be more than just a passive surface. By harnessing the attributes of recycled rubber, we've designed innovative ways to give you



people's lives better? So, can a floor make































































ecorecommercial.com